

Racetrack Coil Magnets for Neutrino Storage Ring

Ramesh Gupta

Brett Parker


Superconducting Magnet Division

Brookhaven National Laboratory

Upton, NY 11973 USA

gupta@bnl.gov



<http://magnets.rhic.bnl.gov/Staff/gupta>




Basic Design Principles

Superconducting
Magnet Division

- Nb_3Sn Racetrack coils
- Design Field: 8+ T
- Nominal Operating Field 7 T
- **Decay products clear SC coils at midplane**
- Warm iron
- Compact cryostat
- Low cost



Earlier Version




Dipole for ν Storage Ring

Superconducting Magnet Division


One major design consideration: Reduce the amount of energy deposited in cold structure

Decay electrons get back towards main aperture by (a) Reverse field and (b) Magnet saggitta which knob to use how much may depend on E & B




Design with a reverse field region in Iron

A dipole with no cutout in yoke for a reverse field region. Electrons will hit yoke and create shower




UNITS	
Length	: mm
Flux density	: T
Field strength	: A m ⁻¹
Potential	: Wb m ⁻¹
Conductivity	: S m ⁻¹
Source density	: A mm ⁻²
Power	: W
Force	: N
Energy	: J
Mass	: kg

PROBLEM DATA	
@15X0-NOREV.FIELD.ST	
Quadratic elements	
XY symmetry	
Vector potential	
Magnetic fields	
Static solution	
Scale Factor =	0.35
11150 elements	
22569 nodes	
34 regions	




In neutrino storage ring, is ~10% energy deposition acceptable?




Magnetically Optimized Design

Cutout in yoke to optimize field quality: Model used in MARS Studies (Brett Parker)



Toy model dipole with improved field harmonics and extended vertical cutout.


Relative Field Error on midplane: 10^{-4} to 10^{-3}
(Positive rise is deliberate)




Magnet Design Evolution

Common cryostat for two coil halves:

For a better mechanical and cryogenic design





Earlier Version



Current Version

Magnetically Optimized Design

Preliminary optimized design for field quality




Relative Field Error on midplane: $\sim 10^{-4}$ to 10^{-3}
(Positive rise on midplane is deliberate)

Future Design Work and Other Possibilities

Work on the present configuration continues on:

- Magnetic Design
- Mechanical Design
- Cryostat Design





More design evolution to be based on MARS Studies (Brett Parker)

- How many watts are actually deposited in coils, etc. under different scenarios?
- If not much, coils can tolerate a modest temperature rise and still be superconducting
 - The coils can be brought significantly down towards midplane for better efficiency
 - Higher field, lower forces.
- High Field Option (8-10 T Nb₃Sn):
 - More R&D, other designs and technologies, more expansive
 - Another Benefit of Nb₃Sn -- higher T_c, allows higher heat deposition

In all cases coils are flat and clear bore tube (original design principles)


Possibility of A Combined Function Magnet Design

Since, most energy deposition is on one side, the coil on other side can be brought closer to midplane, or one can have a “C magnet”. This generates a combined function magnet, actually with a higher field. But with only of one type of focussing. Imagine a lattice where long dipole have focussing of one kind and the other type of focussing comes from traditional quadrupoles. AP Issues?




UNITS	
Length	: mm
Flux density	: T
Field strength	: A m ⁻¹
Potential	: Wb m ⁻¹
Conductivity	: S m ⁻¹
Source density	: A mm ⁻²
Power	: W
Force	: N
Energy	: J
Mass	: kg

PROBLEM DATA	
CMAG3.ST	
Quadratic elements	
XY symmetry	
Vector potential	
Magnetic fields	
Static solution	
Scale factor = 0,35	
13921 elements	
28188 nodes	
36 regions	





UNITS	
Length	: mm
Flux density	: T
Field strength	: A m ⁻¹
Potential	: Wb m ⁻¹
Conductivity	: S m ⁻¹
Source density	: A mm ⁻²
Power	: W
Force	: N
Energy	: J
Mass	: kg

PROBLEM DATA	
CMAG3.ST	
Quadratic elements	
XY symmetry	
Vector potential	
Magnetic fields	
Static solution	
Scale factor = 0,35	
13921 elements	
28188 nodes	
36 regions	



Skew Quad Lattice by Axially Shifting Coils

Superconducting
Magnet Division




neutrino beam neutrino beam

Skew Quad Lattice by Axially Shifting Coils

Superconducting
Magnet Division





Axial scan of B for various y



neutrino beam neutrino beam

Saggitta in Nb₃Sn React & Wind Dipole

Curvature in reverse direction
is held by thin Kavlar strings.



John Escallier

