

List of Figures

Figure 1.2.1. Phase diagram of nuclear matter and nuclear collisions.	3
Figure 1.4.1. Drawing of the cross section of the RHIC arc dipole in cryostat.	9
Figure 1.4.2. Critical current density as a function of applied field in superconducting wire.	11
Figure 1.5.1. Computation of the field produced by a line current.	33
Figure 1.5.2. Computation of the field produced by a current sheet.	49
Figure 1.5.3. Computation of the field produced by a uniform current in two intersecting circles.	58
Figure 1.5.4. Field from Beth's current sheet.	64
Figure 2.2.1. Raster image of the cross section of a coil obtained after cutting an SSC R&D dipole.	73
Figure 2.2.2. Raster image of a RHIC prototype dipole yoke lamina- tion.	76
Figure 2.3.1. AUTOMESH input No. 1 for the improved POISSON.	81
Figure 2.3.2. POISSON model generated by method No. 1.	82
Figure 2.3.3. AUTOMESH input No. 2 for the improved POISSON.	85
Figure 2.3.4. POISSON model generated by method No. 2.	86
Figure 2.3.5. The improved mesh generated by method No. 2.	87
Figure 2.3.6. AUTOMESH input No. 3 for the improved POISSON.	89
Figure 2.3.7. Improved POISSON model generated by method No. 3.	90
Figure 3.1.1. The B-H table used in POISSON calculations.	94
Figure 3.1.2. Field lines at 1000 A in the RHIC arc dipole magnet.	100
Figure 3.1.3. Field lines at 7000 A in the RHIC arc dipole magnet.	101
Figure 3.2.1. POISSON model of the RHIC arc dipole magnet.	103
Figure 3.2.2. POISSON model of the SSC collider dipole magnet.	104

Figure 3.2.3. The computed transfer function as a function of yoke inner radius in the RHIC arc dipole magnet.	106
Figure 3.2.4. Computed saturation induced allowed harmonics as a function of the yoke inner radius in the RHIC arc dipole magnet.	107
Figure 3.2.5. Computed transfer function as a function of the yoke inner radius in the SSC dipole magnet.	108
Figure 3.2.6. Computed saturation induced allowed harmonics as a function of the yoke inner radius in the SSC dipole magnet.	109
Figure 3.2.7. The computed change in transfer function and b_2 as a function of the yoke outer radius in the SSC dipole magnet.	112
Figure 3.2.8. Fringe field on the horizontal axis of the SSC dipole.	114
Figure 3.2.9. Fringe field on the vertical axis of the SSC collider dipole.	115
Figure 3.2.10. The saturation induced harmonics as a function of bypass hole angular location in the RHIC arc dipole.	117
Figure 3.2.11. POISSON model of the RHIC insertion dipole D0.	119
Figure 3.2.12. The saturation induced b_2 harmonic as a function of the bypass hole location in the RHIC D0 dipole.	120
Figure 3.2.13. The saturation induced b_4 and b_6 harmonics as a function of the bypass hole location in the RHIC D0 dipole.	121
Figure 3.2.14. Reduction in saturation induced harmonics by saturation suppressor holes in the RHIC arc dipole.	124
Figure 3.2.15. Variation in saturation induced harmonics as a function of the azimuthal location of the saturation suppressor hole.	126
Figure 3.2.16. Variation in saturation induced harmonics as a function of the radial location of the saturation suppressor hole.	127
Figure 3.2.17. Variation in saturation induced harmonics as a function of the size of the saturation suppressor hole.	128

Figure 3.2.18. Influence of the yoke alignment key material on the saturation induced harmonics in the SSC dipoles.	130
Figure 3.2.19. Influence of the yoke collaring key material on the saturation induced harmonics in the RHIC arc dipoles.	134
Figure 3.2.20. The saturation induced harmonics with midplane tooth and notch in the RHIC arc dipoles.	137
Figure 3.2.21. A schematic diagram of cutout and bump at the yoke inner radius.	140
Figure 3.2.22. Low field transfer function as a function of the angular positions of cutout and bump at the yoke inner radius.	141
Figure 3.2.23. Low field and saturation induced b_2 as a function of the angular positions of cutout and bump at the yoke inner radius.	142
Figure 3.2.24. Low field and saturation induced b_4 as a function of the angular positions of cutout and bump at the yoke inner radius.	143
Figure 3.2.25. Low field and saturation induced b_6 as a function of the angular positions of cutout and bump at the yoke inner radius.	144
Figure 3.2.26. POISSON model of the proposed elliptical aperture SSC dipole.	146
Figure 3.2.27. The saturation induced b_2 and b_4 in the proposed elliptical aperture SSC dipole.	147
Figure 3.2.28. The saturation induced harmonic as a function of the angular position where the yoke inner radius changes.	151
Figure 3.2.29. POISSON model of an octant of the RHIC insertion quadrupole.	153
Figure 3.2.30. Transfer function as a function of current in the one and two-radius aperture cases.	154
Figure 3.2.31. b_5 as a function of current in the one and two-radius aperture cases.	155
Figure 3.2.32. b_9 as a function of current in the one and two-radius aperture cases.	156

Figure 3.3.1. Drawing of the coldmass of the RHIC arc dipole magnet.	160
Figure 3.3.2. The measured b_2 harmonic as a function of current in various designs of RHIC arc dipole magnets.	162
Figure 3.3.3. The measured b_4 harmonic as a function of current in various designs of RHIC arc dipole magnets.	163
Figure 3.3.4. The measured b_6 harmonic as a function of current in various designs of RHIC arc dipole magnets.	164
Figure 3.4.1. Drawings of the coldmass of the RHIC insertion dipole $D0$	171
Figure 3.4.2. b_1 as a function of field when the current is the same in two side-by-side $D0$ magnets.	172
Figure 3.4.3. b_1 as a function of field when the current is in the ratio of 2.5:1 in two side-by-side $D0$ magnets.	173
Figure 3.4.4. Field lines in the 40 mm aperture, SSC, 2-in-1 magnet.	175
Figure 3.4.5. Current dependence in a_1 in several SSC dipole magnets.	177
Figure 3.4.6. Field lines in the SSC 50 mm dipole magnet with asymmetric placement of coldmass in cryostat.	178
Figure 3.5.1. The axial variation in a_1 saturation in several SSC magnets.	183
Figure 3.5.2. Correlation between the axial variation of a_1 saturation and the top-bottom yoke-weight asymmetry in SSC dipole DCA213.	184
Figure 3.5.3. Correlation between geometric a_1 and saturation a_1	187
Figure 3.6.1. Drawing of the RHIC arc dipole coldmass asymmetrically placed inside the cryostat.	191
Figure 3.6.2. The measured current dependence of a_1 in two RHIC arc dipoles.	192
Figure 3.6.3. The correlation between local yoke weight asymmetry and local a_1 saturation in RHIC dipoles.	194

Figure 3.6.4. The calculated a_1 saturation for various yoke weight asymmetries in RHIC arc dipoles.	195
Figure 3.6.5. Yoke weight asymmetry in various RHIC arc dipole magnets.	197
Figure 3.6.6. The correlation in integral yoke weight asymmetry and integral a_1 saturation in two types of RHIC arc dipole designs.	199
Figure 3.7.1. Average values of allowed harmonics as a function of current in the production series of RHIC arc dipole magnets.	201
Figure 3.7.2. Magnetization inside the iron before and after yoke optimization as per PE2D model of the RHIC arc dipole magnets.	203
Figure 3.7.3. $(\frac{\mu-1}{\mu+1})$ inside the iron before and after yoke optimization as per PE2D model of the RHIC arc dipole magnets.	204
Figure 4.1.1. Drawing of the coil cross section of the RHIC 100 mm aperture D0 Dipole.	208
Figure 5.2.1. Drawing of the RHIC insertion quadrupole with the locations of eight tuning shims indicated.	225
Figure 5.2.2. Detailed drawing of a tuning shim.	226
Figure 5.2.3. Maximum change in the $(a_2$ and $b_2)$, $(a_3$ and $b_3)$, and $(a_4$ and $b_4)$ harmonics from a given thickness of eight tuning shims.	240
Figure 5.2.4. Maximum change in the a_5 and b_5 harmonics from a given thickness of eight tuning shims.	241
Figure 5.2.5. Maximum change in the a_9 and b_9 harmonics from a given thickness of eight tuning shims.	242
Figure 5.2.6. Current dependence in the skew harmonics generated by the tuning shims.	246
Figure 5.2.7. Current dependence in the normal harmonics generated by the tuning shims.	247
Figure 5.2.8. Comparison between calculations and measurements for the a_2 , b_2 , a_3 , b_3 , a_4 , b_4 harmonics generated by the tuning shims.	252

Figure 5.2.9. Comparison between calculations and measurements for the a_6 , b_6 , a_7 , b_7 , a_8 , b_8 harmonics generated by the tuning shims.	253
Figure 5.2.10. Comparison between calculations and measurements for the transfer function and the a_5 , b_5 , a_9 , b_9 harmonics generated by the tuning shims.	254
Figure 5.2.11. Beam size in the insertion region for $\beta^* = 1$	256
Figure 5.3.1. Conceptual diagram for correcting a_1 and transfer function errors in dipole ends.	259
Figure 6.2.1. Drawing of the collared coil cross section of the SSC dipole.	268
Figure 6.2.2. Drawing of the coldmass of the SSC dipole.	272
Figure 6.2.3. Field lines in the SSC 50 mm dipole at 6500 A.	273
Figure 6.2.4. Current dependence in the allowed harmonics of the SSC dipole.	277
Figure 6.2.5. Lorentz forces in the SSC dipole.	284
Figure 6.3.1. Drawing of the RHIC insertion quadrupole magnet cross section.	287
Figure 6.3.2. Drawing of the coil cross section for the RHIC insertion quadrupole.	291
Figure 6.3.3. POISSON model of a quadrant of the 130 mm aperture RHIC insertion quadrupole.	294
Figure 6.3.4. Computed harmonics in the 130 mm aperture RHIC insertion quadrupole.	297
Figure 6.3.5. Field lines in the RHIC insertion quadrupole.	298